

Safety Data Sheet

Castaldo® Titanium Label™ Jewelry Molding Rubber

SDS Revision Date:

15/01/2020



1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity Castaldo® Titanium Label™ Jewelry Molding Rubber
Alternate Names Castaldo® Titanium Label™ Jewelry Molding Rubber

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.
Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name F. E. Knight Inc.
120 Constitution Blvd.,
Franklin, MA 02038. USA

Emergency

24 hour Emergency Telephone No. Chem-Tel: 1-800-255-3924 or 617-969-5399
Customer Service: F. E. Knight Inc. 508-520-1666

2. Hazard identification of the product

2.1. Classification of the substance or mixture

Aquatic Chronic 2;H411 Toxic to aquatic life with long lasting effects.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



H411 Toxic to aquatic life with long lasting effects.

[Prevention]:

P273 Avoid release to the environment.

[Response]:

Safety Data Sheet

Castaldo® Titanium Label™ Jewelry Molding Rubber



SDS Revision Date:

15/01/2020

P391 Collect spillage.

[Storage]:

No GHS storage statements

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Octadecanoic acid, zinc salt CAS Number: 0000557-05-1	1.0 - 10		[1][2]
Zinc oxide CAS Number: 0001314-13-2	1.0 - 10	Aquatic Acute 1;H400 Aquatic Chronic 1;H410	[1][2]
Thioperoxydicarbonic diamide, tetramethyl- CAS Number: 0000137-26-8	0.10 - 1.0	Acute Tox. 4;H332 Acute Tox. 4;H302 STOT RE 2;H373 Eye Irrit. 2;H319 Skin Irrit. 2;H315 Skin Sens. 1;H317 Aquatic Acute 1;H400 Aquatic Chronic 1;H410	[1][2]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Safety Data Sheet

Castaldo® Titanium Label™ Jewelry Molding Rubber

SDS Revision Date:

15/01/2020



4.2. Most important symptoms and effects, both acute and delayed

Overview

This compound has not been tested in its present form and is not expected to pose a significant health hazard when normal industrial hygiene practices are followed. Information provided on physical and health effects of this product is based on individual components. All ingredients are bound in the compound matrix, and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon processing; therefore, necessary precautions (mechanical, ventilation, respiratory protection, etc.) to protect employees must be assessed. Health Hazards Based on Raw Materials: Contact with heated material may cause burns.
Irritation: May cause eye, skin, respiratory and gastrointestinal irritation.
Primary Routes(s) of Exposure: Skin, Eyes, and Inhalation

5. Fire-fighting measures

5.1. Extinguishing media

Carbon Dioxide, Foam, Dry Chemical and Water Fog.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of CO_x, NO_x, SO_x.
Oxides of Zinc, undetermined aliphatic fragments, toxic oxides and fumes of components. Unburned hydrocarbons and trace oxides, acetic acid.

5.3. Advice for fire-fighters

Fire involving rubber is accompanied by the evolution of an acrid black smoke. A self-contained breathing apparatus (SCBA) in positive pressure mode and full fire fighting protective gear should be worn when fighting fires.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Spill Clean-up: Sweep up by mechanical means.

Waste Disposal: Put into proper containers and dispose of in accordance with all local, state and federal regulations.

7. Handling and storage

Safety Data Sheet

Castaldo® Titanium Label™ Jewelry Molding Rubber



SDS Revision Date:

15/01/2020

7.1. Precautions for safe handling

Store in a cool dry environment in original closed packaging. Do not store at high temperatures or near strong acids and oxidizers.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Strong Oxidizers

Person handling equipment should wear protective equipment specified in Section 8. Good housekeeping and hygienic practices should be observed. Avoid heat, sparks and flame.

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000137-26-8	Thioperoxydicarbonic diamide, tetramethyl-	OSHA	TWA 5 mg/m3
		ACGIH	TWA: 1 mg/m3S Revised 2008; 2010,
		NIOSH	TWA 5 mg/m3
		Supplier	No Established Limit
0000557-05-1	Octadecanoic acid, zinc salt	OSHA	TWA 10 mg/m3 (total) TWA 5 mg/m3 (resp)
		ACGIH	TWA: 10 mg/m3STEL: 20 mg/m3
		NIOSH	TWA 10 mg/m3 (total) TWA 5 mg/m3 (resp)
		Supplier	No Established Limit
0001314-13-2	Zinc oxide	OSHA	TWA 5 mg/m3 (fume) TWA 15 mg/m3 (total dust) TWA 5 mg/m3 (resp dust)
		ACGIH	TWA: 2 mg/m3STEL: 10 mg/m3 A1, 1, Revised 2003,
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000137-26-8	Thioperoxydicarbonic diamide, tetramethyl-	OSHA	Select Carcinogen: No

Safety Data Sheet

Castaldo® Titanium Label™ Jewelry Molding Rubber

SDS Revision Date:

15/01/2020



0000557-05-1	Urethane, tetramethyl-	NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;
0000557-05-1	Octadecanoic acid, zinc salt	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0001314-13-2	Zinc oxide	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory

Use NIOSH/MSHA approved respirator, following manufacturer's recommendations when concentrations exceed permissible exposure limits. Protective safety glasses recommended.

Eyes

Skin

Long sleeved shirt and long pants. Impervious gloves are recommended.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices

Safety showers and eye wash stations should be provided in areas where this product is used. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance

Solid

Odor

Odor threshold

Not Measured

pH

Not Measured

Melting point / freezing point

Not Measured

Initial boiling point and boiling range

Not Measured

Flash Point

Not Measured

Evaporation rate (Ether = 1)

Not Measured

Flammability (solid, gas)

Not Applicable

Upper/lower flammability or explosive limits

Lower Explosive Limit: Not Measured

Upper Explosive Limit: Not Measured

Safety Data Sheet

Castaldo® Titanium Label™ Jewelry Molding Rubber

SDS Revision Date:

15/01/2020



Vapor pressure (Pa)	Not Measured
Vapor Density	Not Measured
Specific Gravity	Not Measured
Solubility in Water	Not Measured
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	Not Measured

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Raw Material Component Stability Comments: TMTD may react with nitrosating agents to form nitrosamines - suspect carcinogens.

10.5. Incompatible materials

Strong Oxidizers

10.6. Hazardous decomposition products

Oxides of CO_x, NO_x, SO_x.

Oxides of Zinc, undetermined aliphatic fragments, toxic oxides and fumes of components. Unburned hydrocarbons and trace oxides, acetic acid.

11. Toxicological information

Acute toxicity

Safety Data Sheet

Castaldo® Titanium Label™ Jewelry Molding Rubber

SDS Revision Date:

15/01/2020



Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Octadecanoic acid, zinc salt - (557-05-1)	No data available	No data available	No data available	No data available	No data available
Zinc oxide - (1314-13-2)	5,000.00, Rat - Category: 5	No data available	No data available	2.50, Mouse - Category: 4	No data available
Thioperoxydicarbonic diamide, tetramethyl- - (137-26-8)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Toxic to aquatic life with long lasting effects.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l

Safety Data Sheet

Castaldo® Titanium Label™ Jewelry Molding Rubber

SDS Revision Date:

15/01/2020



Octadecanoic acid, zinc salt - (557-05-1)	Not Available	Not Available	Not Available
Zinc oxide - (1314-13-2)	1.10, Oncorhynchus mykiss	0.098, Daphnia magna	0.042 (72 hr), Pseudokirchneriella subcapitata
Thioperoxydicarbonic diamide, tetramethyl- - (137-26-8)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class (es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: Yes (Thioperoxydicarbonic diamide, tetramethyl-)

14.6. Special precautions for user

No further information

Safety Data Sheet

Castaldo® Titanium Label™ Jewelry Molding Rubber

SDS Revision Date:

15/01/2020



15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification Not Regulated

US EPA Tier II Hazards

Fire:No

Sudden Release of Pressure:No

Reactive:No

Immediate (Acute):No

Delayed (Chronic):No

EPCRA 311/312 Chemicals and RQs:

(No Product Ingredients Listed)

EPCRA 302 Extremely Hazardous :

(No Product Ingredients Listed)

EPCRA 313 Toxic Chemicals:

Octadecanoic acid, zinc salt

Zinc oxide

Proposition 65 - Carcinogens (>0.0%):

Diethanolamine

Proposition 65 - Developmental Toxins (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Female Repro Toxins (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Male Repro Toxins (>0.0%):

(No Product Ingredients Listed)

N.J. RTK Substances (>1%):

Octadecanoic acid, zinc salt

Zinc oxide

Penn RTK Substances (>1%):

Octadecanoic acid, zinc salt

Zinc oxide

16. Other information

Safety Data Sheet

Castaldo® Titanium Label™ Jewelry Molding Rubber

SDS Revision Date:

15/01/2020



The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Disclaimer: The information contained herein is considered accurate; however, F .E. Knight, Inc. makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.

End of Document